



Nano Soluble Salt Collection


Technical Porcelain Tile

600x
600mm
VITRIFIED TILES

High Tech
NANO
Polished Vitrified Tiles



8000



8001



8002



8003



8005



8007





600x
600mm
VITRIFIED TILES

High Tech
NANO
Polished Vitrified Tiles




8008




8009



8010



8011



8012



8013





600x
600mm
VITRIFIED TILES

High Tech
NANO
Polished Vitrified Tiles



8015



8016



8017



8018



8021




8022



**600x
600mm**
VITRIFIED TILES

High Tech
NANO
Polished Vitrified Tiles



8023




8024



8025



8026



8030



8031

600x
600mm
VITRIFIED TILES

High Tech
NANO
Polished Vitrified Tiles



8032



8033



8034



8035



8036



8037

**600x
600mm**
VITRIFIED TILES

High Tech
NANO
Polished Vitrified Tiles



8038



8039



8040



8041



8042

Technical Specification

Sr. No.	Characteristics	Vitrified Tiles IS 13006 / EN 176 Group Bla	OUR VALUE
1.	Deviation in length	+0.6%	+0.1%
2.	Deviation in Thickness	+5%	+3%
3.	Straightness of sides	+0.5%	+0.1%
4.	Rectangularity	+0.6%	+0.1%
5.	Surface Flatness	+0.5%	+0.1%
6.	Surface Quality	Min. 95%	No Visible defect
7.	Modulus of Rupture (N/mm ²)	Min.35, Individual 32	45
8.	Breaking Strength (N)	Not Less than 1300	2200
9.	Water Absorption	0.5%	0.05%
10.	Abrasion Resistance, mm	Max. 175	< 144
11.	Bulk density, in gr/cc	Min. 2.2	>2.4
12.	Stain Resistance	Resistant	Resistant
13.	Chemical Resistance	No damage	No damage
14.	Scratch Hardness of surface (Moh's Scale)	6	6
15.	Frost Resistance	Required	100 Cycle Pass

Nano Vitrified Tiles Packing Detail

Size	Normal Thickness	No. of Tiles/Box	Coverage Area	Wt. of Box
600x600mm	8.0 mm (Approx)	4 Pcs.	1.44 Sq. Mtr.	25 Kg. (Approx)

Application



Colours shown are as accurate as the limitations of the printing process. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been taken to ensure the accuracy of the information provided. However, the company reserves the right to change the specification without prior notice. Some times variations in size or colour may occur due to the inherent nature of the ceramic industry. It is advised to check the tiles before purchase and laying as the company does not accept responsibility on the tiles are sold.